

In Jihlava, 25 July 2018

Masonite CZ spol. s r.o.

hereby issues

## **DECLARATION OF CONFORMITY No. 06-2018**

pursuant to Article 8 of Government Regulation No. 163/2002 Coll., as amended by Government Regulation No. 312/2005 Coll. the manufacturer:

Masonite CZ spol. s r.o. Hruškové Dvory 82 586 02 Jihlava ID No.: 26482738

hereby issues a Declaration of Conformity for the product:

Hinged rabbeted wooden doors, flush as well as panel, solid and glazed, single-leaf and double-leaf doors

The product is an interior door (with the corresponding hardware) without demands for any climatic, thermal insulation, fire or security properties. The mentioned door leaves can be installed in standardised steel frames or wooden architrave jambs.

The manufacturer hereby declares that the mentioned products comply with requirements for general safety pursuant to the provisions of Article 3 of Act No. 102/2001 Coll., taking into account criteria specified in Article 3, paragraph 1, letter a) of Act No. 102/2001 Coll., on general product safety. These products are **safe** under standard and rationally foreseeable conditions throughout their life, unless specified otherwise by the manufacturer pursuant to Act No. 102/2001 Coll. Pursuant to the mentioned act, measures were adopted to secure the conformity of the products launched on the market with their safety requirements.

This conformity was assessed pursuant to Article 8 of Government Decree No. 163/2002 Coll., as amended by Government Decree No. 312/2005 Coll, laying down technical requirements for structural products.

The following standards and technical regulations were applied in the conformity assessment:

- a) ČSN 74 6401 Wooden doors. Basic Provisions
- b) ČSN EN 1529 Door leaves Height, width, thickness and squareness Tolerance classes
- c) ČSN EN 1530 Door leaves General and local flatness Tolerance classes
- d) ČSN EN 1192 Doors Classification of strength requirements
- e) Standard No. 01 2010 of Masonite CZ spol. s r.o.



The following properties conforming to basic requirements of the standards have been detected:

Property	Standard of the classification	Classification/Value
Dimension tolerances - Height, width, thickness and squareness	ČSN EN 1529	tolerance class 2
Door leaves – general flatness	ČSN EN 1530	tolerance class 3
Door leaves – local flatness	ČSN EN 1530	tolerance class 4
Resistance against vertical stress	ČSN EN 1192	class 3 – single-leaf doors class 3 – double-leaf doors
Resistance against static twisting	ČSN EN 1192	class 3 – single-leaf doors class 3 – double-leaf doors
Resistance against impact by soft and heavy objects	ČSN EN 1192	class 1 – solid single-leaf doors without declaration – glazed door leaf

Masonite CZ spol. s r.o. Hruškové Dvory 82, 586 02 Jihlava IČO: 26482738

Date of issue: Valid until: 25-07-2018 24-07-2021

GM Pavel Šatný