



DOORNITE

DECLARATION OF CONFORMITY No. 03-2022

pursuant to Article 8 of Government Regulation No. 163/2002 Coll., as amended by Government Regulation No. 312/2005 Coll.
the manufacturer:

DOORNITE s.r.o.,
Hruškové Dvory 82, 586 01 Jihlava, Czech Republic, ID No: 097 76 940
hereby issues a Declaration of Conformity for the product:

non-rebated wooden doors, flush as well as panel, solid and glazed, single-leaf and double-leaf doors

The product is an interior door (with the corresponding hardware) without demands for any climatic, thermal insulation, fire or security properties. The mentioned door leaves can be installed in standardised steel frames or wooden architrave jambs.

The manufacturer hereby declares that the mentioned products comply with requirements for general safety pursuant to the provisions of Article 3 of Act No. 102/2001 Coll., taking into account criteria specified in Article 3, paragraph 1, letter a) of Act No. 102/2001 Coll., on general product safety. These products are **safe** under standard and rationally foreseeable conditions throughout their life, unless specified otherwise by the manufacturer pursuant to Act No. 102/2001 Coll. Pursuant to the mentioned act, measures were adopted to secure the conformity of the products launched on the market with their safety requirements.

This conformity was assessed pursuant to Article 8 of Government Decree No. 163/2002 Coll., as amended by Government Decree No. 312/2005 Coll, laying down technical requirements for structural products.

The following standards and technical regulations were applied in the conformity assessment:

- ČSN 74 6401 - Wooden doors. Basic Provisions
- ČSN EN 1529 - Door leaves - Height, width, thickness and squareness - Tolerance classes
- ČSN EN 1530 - Door leaves - General and local flatness - Tolerance classes
- ČSN EN 1192 - Doors - Classification of strength requirements

The following properties conforming to basic requirements of the standards have been detected:

Property	Standard of the classification	Classification/Value
Dimension tolerances - Height, width, thickness and squareness	ČSN EN 1529	tolerance class 2
Door leaves – general flatness	ČSN EN 1530	tolerance class 3
Door leaves – local flatness	ČSN EN 1530	tolerance class 4
Resistance against vertical stress	ČSN EN 1192	class 3 – single-leaf doors class 3 – double-leaf doors
Resistance against static twisting	ČSN EN 1192	class 3 – single-leaf doors class 3 – double-leaf doors
Resistance against impact by soft and heavy objects	ČSN EN 1192	class 1 – solid single-leaf doors without declaration – glazed door leaf

Date of issue 8.8.2022

DOORNITE s.r.o.
Hruškové dvory 82, 586 01 Jihlava
IČ: 09776940, DIČ: CZ09776940 ①

GM Pavel Šatný



DOORNITE s.r.o., Hruškové Dvory 82, 586 01 Jihlava, Czech Republic • www.doornite.cz

- E-mail: info@doornite.cz • IČ: 097 76 940 • DIČ: CZ 097 76 940 • The company is registered in the Commercial Register kept with the Regional Court in Brno section C, enclosure 127132